

# Balance Pricelist

UK, £ 2011



METTLER TOLEDO



## New Classic MS Analytical

Model	M APP	Capacity	Readability	Platform	Item No	Price
MS105		120g	0.01mg	Ø80mm	11142056	4140
MS105/M	•	120g	0.01mg	Ø80mm	11142058	4560
MS105DU		42g / 120g	0.01mg / 0.1mg	Ø80mm	11142062	3050
MS105DU/M	•	42g / 120g	0.01mg / 0.1mg	Ø80mm	11142064	3350
MS205DU		82g / 220g	0.01mg / 0.1mg	Ø80mm	11142068	3760
MS205DU/M	•	82g / 220g	0.01mg / 0.1mg	Ø80mm	11142070	4140
MS204		220g	0.1mg	Ø80mm	11142074	2710
MS204/M	•	220g	0.1mg	Ø80mm	11142076	2980
MS104S/01		120g	0.1mg	Ø90mm	11124474	2460
MS104S/M01	•	120g	0.1mg	Ø90mm	11124476	2700
MS204S/01		220g	0.1mg	Ø90mm	11124477	2710
MS204S/M01	•	220g	0.1mg	Ø90mm	11124479	2990
MS304S/01		320g	0.1mg	Ø90mm	11124480	3220
MS304S/M01	•	320g	0.1mg	Ø90mm	11124482	3540



Accessories	Item No	Price
AC Adapter set	11120270	23.70
RS232 auxiliary display with cable	12120057	160.00
RS9-RS25: m/f, length 2 m	11101052	27.00
RS9-RS9: (m/m), length 1 m	21250066	on req.
RS9-RS9: m/f, length 1 m	11101051	26.00
USB-232 converter cable to connect the balance to a PC USB port	11103691	49.00
LabX direct balance	11120340	130.00
Transport case for MS-S models	11124245	530.00
Draft shield with sliding doors "0.1 mg" (237 mm)	12122404	140.00
Printer RS-P25	11124300	370.00
Protective cover for models MS-S with draft shield	12121850	16.00
Steel cable	11600361	150.00
LC/RS-BLD auxiliary display with backlit LCD display	00224200	278.00
Printer RS-P26	11124303	500.00
Printer RS-P28	11124304	570.00
USB cable 1.8 m A-B	51191926	10.00

## New Classic ML Analytical

Model	M APP	Capacity	Readability	Platform	Item No	Price
ML54/01		52g	0.1mg	Ø90mm	11124770	1800
ML54/M01	•	52g	0.1mg	Ø90mm	11124772	1980
ML104/01		120g	0.1mg	Ø90mm	11124776	1980
ML104/M01	•	120g	0.1mg	Ø90mm	11124778	2170
ML204/01		220g	0.1mg	Ø90mm	11124782	2150
ML204/M01	•	220g	0.1mg	Ø90mm	11124784	2380



Accessories	Item No	Price
AC Adapter set	11120270	23.70
RS232 auxiliary display with cable	12120057	160.00
RS9-RS25: m/f, length 2 m	11101052	27.00
RS9-RS9: (m/m), length 1 m	21250066	on req.
RS9-RS9: m/f, length 1 m	11101051	26.00
USB-232 converter cable to connect the balance to a PC USB port	11103691	49.00
LabX direct balance	11120340	130.00
Printer RS-P25	11124300	370.00
Steel cable	11600361	150.00
LC/RS-BLD auxiliary display with backlit LCD display	00224200	278.00
Printer RS-P26	11124303	500.00
Printer RS-P28	11124304	570.00

New Classic MS Precision

Model	M APP	1st STEP APP	FACT	Capacity	Readability	Platform	Item No	Price
MS303S/01			•	320g	0.001g	127x127mm	11124489	1790
MS303S/M01	•		•	320g	0.001g	127x127mm	11124491	1970
MS303SE/01				320g	0.001g	127x127mm	11124611	1630
MS303SE/M01		•		320g	0.001g	127x127mm	11124613	1710
MS403S/01			•	420g	0.001g	127x127mm	11124492	2100
MS403S/M01	•		•	420g	0.001g	127x127mm	11124494	2310
MS603S/01			•	620g	0.001g	127x127mm	11124498	2400
MS603S/M01	•		•	620g	0.001g	127x127mm	11124500	2640
MS1003S/01			•	1020g	0.001g	127x127mm	11124504	3070
MS1003S/M01	•		•	1020g	0.001g	127x127mm	11124506	3380
MS802S/01				820g	0.01g	127x127mm	11124510	on req.
MS802S/M01	•			820g	0.01g	127x127mm	11124512	on req.
MS1602S/01			•	1620g	0.01g	170x200mm	11124516	1680
MS1602S/M01	•		•	1620g	0.01g	170x200mm	11124518	1840
MS1602SE/01				1620g	0.01g	170x200mm	11124629	1520
MS1602SE/M01		•		1620g	0.01g	170x200mm	11124631	1600
MS3002S/01			•	3200g	0.01g	170x200mm	11124522	1820
MS3002S/M01	•		•	3200g	0.01g	170x200mm	11124524	2000
MS3002SE/01				3200g	0.01g	170x200mm	11124635	1660
MS3002SE/M01		•		3200g	0.01g	170x200mm	11124637	1740
MS4002S/01			•	4200g	0.01g	170x200mm	11124528	1960
MS4002S/M01	•		•	4200g	0.01g	170x200mm	11124530	2150
MS4002SDR/01			•	820g/4200g	0.1g/0.01g	170x200mm	11124531	1780
MS4002SDR/M01	•		•	820g/4200g	0.1g/0.01g	170x200mm	11124533	1960
MS6002S/01			•	6200g	0.01g	170x200mm	11124537	2640
MS6002S/M01	•		•	6200g	0.01g	170x200mm	11124539	2890
MS6002SDR/01			•	1220g/6200g	0.1g/0.01g	170x200mm	11124540	2300
MS6002SDR/M01	•		•	1220g/6200g	0.1g/0.01g	170x200mm	11124542	2520
MS6001S/01			•	6200g	0.1g	190x226mm	11124561	1540
MS6001S/M01	•		•	6200g	0.1g	190x226mm	11124563	1690
MS8001S/01			•	8200g	0.1g	190x226mm	11124564	1630
MS8001S/M01	•		•	8200g	0.1g	190x226mm	11124566	1790
MS8001SE/01				8200g	0.1g	190x226mm	11124662	1480
MS8001SE/M01		•		8200g	0.1g	190x226mm	11124664	1540
MS12001L/01			•	12200g	0.1g	351x245mm	11124573	2790
MS12001L/M01	•		•	12200g	0.1g	351x245mm	11124575	3070
MS16001L/01			•	16200g	0.1g	351x245mm	11124576	3070
MS16001L/M01	•		•	16200g	0.1g	351x245mm	11124578	3380
MS16001LE/01				16200g	0.1g	351x245mm	11124671	2460
MS16001LE/M01		•		16200g	0.1g	351x245mm	11124673	2580
MS32001L/01			•	32200g	0.1g	351x245mm	11124588	3460
MS32001L/M01	•		•	32200g	0.1g	351x245mm	11124590	3800
MS32001LE/01				32200g	0.1g	351x245mm	11124683	2770
MS32001LE/M01		•		32200g	0.1g	351x245mm	11124685	2900
MS32000L/01			•	32200g	1g	351x245mm	11124701	2760
MS32000L/M01	•		•	32200g	1g	351x245mm	11124703	3040
MS32000LE/01				32200g	1g	351x245mm	11124704	2210
MS32000LE/M01		•		32200g	1g	351x245mm	11124706	2320



## New Classic MS Precision

Accessories	Item No	Price
AC Adapter set	11120270	23.70
RS232 auxiliary display with cable	12120057	160.00
RS9-RS25: m/f, length 2 m	11101052	27.00
RS9-RS9: (m/m), length 1 m	21250066	on req.
RS9-RS9: m/f, length 1 m	11101051	26.00
USB-232 converter cable to connect the balance to a PC USB port	11103691	49.00
LabX direct balance	11120340	130.00
Transport case for MS-S models	11124245	530.00
Draft shield with sliding doors "mg" (165mm)	12122405	130.00
Printer RS-P25	11124300	370.00
Steel cable	11600361	150.00
LC/RS-BLD auxiliary display with backlit LCD display	00224200	278.00
Printer RS-P26	11124303	500.00
Printer RS-P28	11124304	570.00
USB cable 1.8 m A-B	51191926	10.00

## New Classic MS Precision – Heavy Duty

Model	APP 1st STEP	IP	USB	Capacity	Readability	Platform	Item No	Price
MS15KLE/O1			•	15kg	2g	351x245mm	11124713	1230
MS15KLE/MO1	•		•	6/15 kg	2/5g	351x245mm	11124715	1290
MS15KLIPE/O1		•		15kg	2g	351x245mm	11124734	1540
MS15KLIPE/MO1	•	•		6/15kg	2/5g	351x245mm	11124736	1610
MS24KLIPE/O1		•		24kg	2g	351x245mm	11124740	1680
MS24KLIPE/MO1	•	•		15/24kg	5/10g	351x245mm	11124742	1760
MS30KLE/O1			•	30kg	2g	351x245mm	11124722	1400
MS30KLE/MO1	•		•	15/30kg	5/10g	351x245mm	11124724	1470



Accessories	Item No	Price
AC Adapter set	11120270	23.7
RS232 auxiliary display with cable	12120057	160
RS9-RS25: m/f, length 2 m	11101052	27
RS9-RS9: (m/m), length 1 m	21250066	on req.
RS9-RS9: m/f, length 1 m	11101051	26
USB-232 converter cable to connect the balance to a PC USB port	11103691	49
LabX direct balance	11120340	130
Transport case for MS-S models	11124245	530
Printer RS-P25	11124300	370
Protective cover for models MS-L "2-5 g"	12121853	21.1
Steel cable	11600361	150
LC/RS-BLD auxiliary display with backlit LCD display	00224200	278
Printer RS-P26	11124303	500
Printer RS-P28	11124304	570
USB cable 1.8 m A-B	51191926	10

## New Classic ML Precision

Model	M APP	1st STEP APP	CAL INT	Capacity	Readability	Platform	Item No	Price
ML203/01			•	220g	0.001g	Ø120mm	11124809	1590
ML203/M01	•		•	220g	0.001g	Ø120mm	11124811	1750
ML303/01			•	320g	0.001g	Ø120mm	11124818	1680
ML303/M01	•		•	320g	0.001g	Ø120mm	11124820	1850
ML503/01			•	520g	0.001g	Ø120mm	11124836	2200
ML503/M01	•		•	520g	0.001g	Ø120mm	11124838	2420
ML802/01			•	820g	0.01g	170x190mm	11124860	1280
ML802/M	•		•	820g	0.01g	170x190mm	11124862	1420
ML1602/01			•	1620g	0.01g	170x190mm	11124872	1530
ML1602/M	•		•	1620g	0.01g	170x190mm	11124874	1680
ML3002/01			•	3200g	0.01g	170x190mm	11124884	1680
ML3002/M	•		•	3200g	0.01g	170x190mm	11124886	1850
ML4002/01			•	4200g	0.01g	170x190mm	11124890	1960
ML4002/M	•		•	4200g	0.01g	170x190mm	11124892	2150
ML2001/01			•	2200g	0.1g	170x190mm	11124902	1320
ML2001/M	•		•	2200g	0.1g	170x190mm	11124904	1450
ML4001/01			•	4200g	0.1g	170x190mm	11124914	1410
ML4001/M	•		•	4200g	0.1g	170x190mm	11124916	1540
ML6001/01			•	6200g	0.1g	170x190mm	11124926	1500
ML6001/M	•		•	6200g	0.1g	170x190mm	11124928	1650
ML203E/01				220g	0.001g	Ø120mm	11124815	1390
ML203E/M		•		220g	0.001g	Ø120mm	11124817	1450
ML303E/01				320g	0.001g	Ø120mm	11124824	1460
ML303E/M		•		320g	0.001g	Ø120mm	11124826	1530
ML802E/01				820g	0.01g	Ø160mm	11124863	1030
ML802E/M		•		820g	0.01g	Ø160mm	11124865	1080
ML1502E/01				1520g	0.01g	Ø160mm	11124875	1220
ML1502E/M		•		1520g	0.01g	Ø160mm	11124877	1280
ML3002E/01				3200g	0.01g	170x190mm	11124887	1460
ML3002E/M		•		3200g	0.01g	170x190mm	11124889	1530
ML4002E/01				4200g	0.01g	170x190mm	11124893	1700
ML4002E/M		•		4200g	0.01g	170x190mm	11124895	1790
ML6001E/01				6200g	0.1g	Ø160mm	11124929	1200
ML6001E/M		•		6200g	0.1g	Ø160mm	11124931	1250



Accessories	Item No	Price
AC Adapter set	11120270	23.70
RS232 auxiliary display with cable	12120057	160.00
RS9-RS25: m/f, length 2 m	11101052	27.00
RS9-RS9: (m/m), length 1 m	21250066	on req.
RS9-RS9: m/f, length 1 m	11101051	26.00
USB-232 converter cable to connect the balance to a PC USB port	11103691	49.00
LabX direct balance	11120340	130.00
Printer RS-P25	11124300	370.00
Steel cable	11600361	150.00
LC/RS-BLD auxiliary display with backlit LCD display	00224200	278.00
Printer RS-P26	11124303	500.00
Printer RS-P28	11124304	570.00

## Classic Light PL-S Line

Model	APP 1st STEP	ACC	RS 232	SECOND DISPLAY INTER- FACE	Capacity	Readability	Platform	Item No	Price
PL83-S/00					81g	0.001g	ø100mm	12110070	860
PL83-S/03			•	•	81g	0.001g	ø100mm	12110073	880
PL83-S/M03	•		•	•	81g	0.001g	ø100mm	12110575	920
PL83-S/10		•			81g	0.001g	ø100mm	12110075	890
PL83-S/13		•	•	•	81g	0.001g	ø100mm	12110078	900
PL83-S/M13	•	•	•	•	81g	0.001g	ø100mm	12110576	940
PL202-S/00					210g	0.01g	ø120mm	12110000	530
PL202-S/03			•	•	210g	0.01g	ø120mm	12110003	550
PL202-S2/M03	•		•	•	210g	0.02g	ø120mm	12110507	580
PL202-S/10		•			210g	0.01g	ø120mm	12110005	550
PL202-S/13		•	•	•	210g	0.01g	ø120mm	12110008	570
PL202-S2/M13	•	•	•	•	210g	0.02g	ø120mm	12110508	610
PL602-S/00					610g	0.01g	ø160mm	12110040	790
PL602-S/03			•	•	610g	0.01g	ø160mm	12110043	810
PL602-S/M03	•		•	•	610g	0.01g	ø160mm	12110545	840
PL602-S/10		•			610g	0.01g	ø160mm	12110045	810
PL602-S/13		•	•	•	610g	0.01g	ø160mm	12110048	820
PL602-S/M13	•	•	•	•	610g	0.01g	ø160mm	12110546	860
PL802-S/00					810g	0.01g	ø160mm	12110101	810
PL802-S/03			•	•	810g	0.01g	ø160mm	12110103	850
PL802-S/M03	•		•	•	810g	0.01g	ø160mm	12110606	890
PL802-S/10		•			810g	0.01g	ø160mm	12110105	870
PL802-S/13		•	•	•	810g	0.01g	ø160mm	12110108	910
PL802-S/M13	•	•	•	•	810g	0.01g	ø160mm	12110607	940
PL1502-S/00					1510g	0.01g	ø160mm	12110050	1020
PL1502-S/03			•	•	1510g	0.01g	ø160mm	12110053	1040
PL1502-S/M03	•		•	•	1510g	0.01g	ø160mm	12110555	1090
PL1502-S/10		•			1510g	0.01g	ø160mm	12110055	1060
PL1502-S/13		•	•	•	1510g	0.01g	ø160mm	12110058	1090
PL1502-S/M13	•	•	•	•	1510g	0.01g	ø160mm	12110556	1130
PL601-S/00					610g	0.1g	ø160mm	12110010	420
PL601-S/03			•	•	610g	0.1g	ø160mm	12110013	440
PL601-S/M03	•		•	•	610g	0.1g	ø160mm	12110515	480
PL601-S/10		•			610g	0.1g	ø160mm	12110015	450
PL601-S/13		•	•	•	610g	0.1g	ø160mm	12110018	460
PL601-S/M13	•	•	•	•	610g	0.1g	ø160mm	12110516	500
PL1501-S/00					1510g	0.1g	ø160mm	12110020	510
PL1501-S/03			•	•	1510g	0.1g	ø160mm	12110023	520
PL1501-S2/M03	•		•	•	1510g	0.2g	ø160mm	12110527	560
PL1501-S/10		•			1510g	0.1g	ø160mm	12110025	530
PL1501-S/13		•	•	•	1510g	0.1g	ø160mm	12110028	540
PL1501-S2/M13	•	•	•	•	1510g	0.2g	ø160mm	12110528	580
PL3001-S/00					3100g	0.1g	ø160mm	12110090	680
PL3001-S/03			•	•	3100g	0.1g	ø160mm	12110093	690
PL3001-S2/M03	•		•	•	3100g	0.2g	ø160mm	12110597	740
PL3001-S/10		•			3100g	0.1g	ø160mm	12110095	700
PL3001-S/13		•	•	•	3100g	0.1g	ø160mm	12110098	710
PL3001-S2/M13	•	•	•	•	3100g	0.2g	ø160mm	12110598	760



PL6001-S/00					6100g	0,1g	∅160mm	12110060	790
PL6001-S/03			•	•	6100g	0,1g	∅160mm	12110063	810
PL6001-S/M03	•		•	•	6100g	0,1g	∅160mm	12110565	840
PL6001-S/10		•			6100g	0,1g	∅160mm	12110065	810
PL6001-S/13		•	•	•	6100g	0,1g	∅160mm	12110068	830
PL6001-S/M13	•	•	•	•	6100g	0,1g	∅160mm	12110566	860
PL8001-S/00					8100g	0,1g	∅160mm	12110111	810
PL8001-S/03			•	•	8100g	0,1g	∅160mm	12110113	850
PL8001-S/M03	•		•	•	8100g	0,1g	∅160mm	12110616	890
PL8001-S/10		•			8100g	0,1g	∅160mm	12110115	870
PL8001-S/13		•	•	•	8100g	0,1g	∅160mm	12110118	910
PL8001-S/M13	•	•	•	•	8100g	0,1g	∅160mm	12110617	940
PL6000-S/00					6100g	1g	∅160mm	12110030	430
PL6000-S/03			•	•	6100g	1g	∅160mm	12110033	440
PL6000-S/M03	•		•	•	6100g	1g	∅160mm	12110535	480
PL6000-S/10		•			6100g	1g	∅160mm	12110035	450
PL6000-S/13		•	•	•	6100g	1g	∅160mm	12110038	460
PL6000-S/M13	•	•	•	•	6100g	1g	∅160mm	12110536	500



Accessories	Item No	Price
AC Adapter set	11120270	23.70
RS9-RS25: m/f, length 2 m	11101052	27.00
RS9-RS9: m/f, length 1 m	11101051	26.00
USB-232 converter cable to connect the balance to a PC USB port	11103691	49.00
LabX direct balance	11120340	130.00
Draft shield, glass cylinder for compact models	12102988	73.00
Printer RS-P25	11124300	370.00
Anti-theft device, steel cord with lock, cable length 60 cm	00590101	30.90
LC/RS-BLD auxiliary display with backlit LCD display	00224200	278.00
PL-S auxiliary display	12102508	160.00
Printer LC-P45	00229119	860.00
Printer RS-P26	11124303	500.00
Printer RS-P28	11124304	570.00
Protective cover	12102980	25.00
Rechargeable batteries (4 units)	12102935	9.30
Transport case for compact models (without draft shield)	12102982	180.00

## Classic Light PL-L Line

Model	APP 1st STEP	RS 232	Capacity	Readability	Platform	Item No	Price
PL202-L/00			210g	0.01g	∅120mm	12106440	310
PL202-L/01		•	210g	0.01g	∅120mm	12106441	380
PL402-L/00			410g	0.01g	∅120mm	12106445	390
PL402-L/01		•	410g	0.01g	∅120mm	12106446	430
PL602-L/00			610g	0.01g	∅120mm	12106450	440
PL602-L/01		•	610g	0.01g	∅120mm	12106451	480
PL602-L/M00	•		610g	0.01g	∅120mm	12106606	500
PL602-L/M01	•	•	610g	0.01g	∅120mm	12106453	540
PL601-L/00			610g	0.1g	∅160mm	12106455	480
PL601-L/01		•	610g	0.1g	∅160mm	12106456	500
PL601-L/M00	•		610g	0.1g	∅160mm	12106485	540
PL601-L/M01	•	•	610g	0.1g	∅160mm	12106458	550
PL1001-L/00			1100g	0.1g	∅160mm	12106460	300
PL1001-L/01		•	1100g	0.1g	∅160mm	12106461	360
PL2001-L/00			2100g	0.1g	∅160mm	12106465	340
PL2001-L/01		•	2100g	0.1g	∅160mm	12106466	390
PL4001-L/00			4100g	0.1g	∅160mm	12106470	380
PL4001-L/01		•	4100g	0.1g	∅160mm	12106471	420
PL6001-L/00			6100g	0.1g	∅160mm	12106475	460
PL6001-L/01		•	6100g	0.1g	∅160mm	12106476	500
PL6001-L/M00	•		6100g	0.1g	∅160mm	12106610	520
PL6001-L/M01	•	•	6100g	0.1g	∅160mm	12106478	560
PL6000-L/00			6100g	1g	∅160mm	12106480	350
PL6000-L/01		•	6100g	1g	∅160mm	12106481	400
PL6000-L/M00	•		6100g	1g	∅160mm	12106611	420
PL6000-L/M01	•	•	6100g	1g	∅160mm	12106483	460



Accessories	Item No	Price
AC Adapter set	11120270	23.70
RS232 auxiliary display with cable	12120057	160.00
RS9-RS25: m/f, length 2 m	11101052	27.00
RS9-RS9: m/f, length 1 m	11101051	26.00
USB-232 converter cable to connect the balance to a PC USB port	11103691	49.00
LabX direct balance	11120340	130.00
Draft shield, glass cylinder for compact models	12102988	73.00
Printer RS-P25	11124300	370.00
Anti-theft device, steel cord with lock, cable length 60 cm	00590101	30.90
LC/RS-BLD auxiliary display with backlit LCD display	00224200	278.00
Printer LC-P45	00229119	860.00
Printer RS-P26	11124303	500.00
Printer RS-P28	11124304	570.00
Protective cover	12102980	25.00
Transport case for compact models (without draft shield)	12102982	180.00

## Moisture Analyzer HB43-S

### Robust and simple-to-use instrument for routine testing on the factory floor and in the laboratory

- Rugged design, basic functionality and simple operation for daily routine inspection
- No programming required as the end-point of the analysis is determined automatically
- Robust components guarantee a long service life, even in harsh environments

Model	Capacity	Readability	Platform	Item No	Price
HB43-S	54g	1mg	53x37x41 cm	11121800	2640



Accessories	Item No	Price
Temperature Calibration kit with traceable test certificate	00214528	347.00
Temperature calibration kit without test certificate	00214455	288.00
Professional aluminum pans (80)	11113863	61.00
Printer RS-P25	11124300	370.00
Protective cover for keypad HB-S / MJ33	11113363	34.00
Glass Fibre pads for liquids (100)	00214464	66.20
HA-Cage	00214695	139.00
LabX direct moisture	11120339	260.00
Reusable sample pan, HA-DR 1 (steel, height 6mm)	00214462	69.40
Transport case for HB-S / MJ33	11113855	430.00

## Moisture Analyzer MJ33

### Robust and simple-to-use instruments for routine testing on the factory floor and in the laboratory

- Brilliant display and clear user-guidance ensure trouble-free operations
- Intergrated library stores 100 fully tested methods
- Flat surfaces and easily accessible components make cleaning and maintenance a breeze

Model	Capacity	Readability	Platform	Item No	Price
MJ33	35g	1mg	53x37x41 cm	11121810	1600



Accessories	Item No	Price
Temperature Calibration kit with traceable test certificate	00214528	347.00
Temperature calibration kit without test certificate	00214455	288.00
Professional aluminum pans (80)	11113863	61.00
Printer RS-P25	11124300	370.00
Protective cover for keypad HB-S / MJ33	11113363	34.00
Glass Fibre pads for liquids (100)	00214464	66.20
HA-Cage	00214695	139.00
LabX direct moisture	11120339	260.00
Reusable sample pan, HA-DR 1 (steel, height 6mm)	00214462	69.40
Transport case for HB-S / MJ33	11113855	430.00

## Printers

Model	Item No	Price
LC-P45	00229119	860
RS-P25	11124300	370
RS-P26	11124303	500
RS-P28	11124304	570



Accessories	Item No	Price
Paper cover for RS-P25, USB-P25, RS-P26, RS-P28	12120734	18.00
Paper roll (5 units) for RS-P25, USB-P25, RS-P26, RS-P28	00072456	14.40
Paper roll, self-adhesive, minimum order quantity 3, for LC-P45, LC-P45, 11600388		3.47
RS-P25, USB-P25, RS-P26, RS-P28		
Paper rotary axis for RS-P25, USB-P25, RS-P26, RS-P28	12120735	6.73
Ribbon cartridge black, minimum order quantity 2 for LC-P45, RS-P25, USB-P25, RS-P26, RS-P28	00065975	28.90

## CarePac® Small

Weighing ranges up to 490g

Model	Description	Item No	Price
CarePac® 200g x 20g	200g F2, 20g F1	11123000	170
CarePac® 200g x 10g	200g F2, 10g F1	11123001	170
CarePac® 100g x 5g	100g F2, 5g E2	11123002	190
CarePac® 50g x 2g	50g F2, 2g E2	11123003	190
CarePac® 2g x 0.1g	2g E2, 0.1g E2	11123004	270
CarePac® 5g x 0.2g	5g E2, 0.2g E2	11123005	270
CarePac® 20g x 1g	20g F1, 1g E2	11123006	190
CarePac® 200g x 50g	200g F2, 50g F2	11123026	180
CarePac® 100g x 50g	100g F2, 50g F2	11123027	170
CarePac® 50g x 50g	50g F2, 50g F2	11123028	170
CarePac® 200g x 100g	200g F2, 100g F2	11123029	190
CarePac® 100g x 100g	100g F2, 100g F2	11123030	180



## CarePac® Medium

Weighing ranges 500g - 4900g

Model	Description	Item No	Price
CarePac® 500g x 20g	500g F2, 20g F1	11123007	230
CarePac® 1000g x 50g	1000g F2, 50g F2	11123008	260
CarePac® 2000g x 100g	2000g F2, 100g F2	11123009	340
CarePac® 2000g x 200g	2000g F2, 200g F2	11123010	360
CarePac® 500g x 10g	500g F2, 10g F1	11123036	230
CarePac® 1000g x 10g	1000g F2, 10g F1	11123037	280
CarePac® 2000g x 10g	2000g F2, 10g F1	11123038	350



## CarePac® Large

Weighing ranges 5kg - 8kg

Model	Description	Item No	Price
CarePac® 5000g x 200g	5000g F2, 200g F2	11123011	540
CarePac® 5000g x 500g	5000g F2, 500g F2	11123012	598
CarePac® 5000g x 100g	5000g F2, 100g F2	11123042	488



## Customized 3rd Weight

3rd weights are for customized testing

Model	Description	Item No	Price
Customized 3rd Weight, 1mg	1mg E2	11123044	52
Customized 3rd Weight, 2mg	2mg E2	11123045	52
Customized 3rd Weight, 5mg	5mg E2	11123046	52
Customized 3rd Weight, 10mg	10mg E2	11123047	52
Customized 3rd Weight, 20mg	20mg E2	11123048	52
Customized 3rd Weight, 50mg	50mg E2	11123049	52
Customized 3rd Weight, 100mg	100mg E2	11123050	52
Customized 3rd Weight, 200mg	200mg E2	11123051	52
Customized 3rd Weight, 500mg	500mg E2	11123052	52
Customized 3rd Weight, 1g	1g E2	11123053	80
Customized 3rd Weight, 2g	2g E2	11123054	80
Customized 3rd Weight, 5g	5g E2	11123055	80
Customized 3rd Weight, 10g	10g E2	11123056	80
Customized 3rd Weight, 20g	20g E2	11123057	91
Customized 3rd Weight, 50g	50g E2	11123058	110
Customized 3rd Weight, 100g	100g E2	11123059	130

**Weights (E2)  
with Certificate**

Model	Item No	Price
1mg E2 C	00158307	44.90
2mg E2 C	00158317	44.90
5mg E2 C	00158327	44.90
10mg E2 C	00158337	44.90
20mg E2 C	00158347	44.90
50mg E2 C	00158357	44.90
100mg E2 C	00158367	44.90
200mg E2 C	00158377	44.90
500mg E2 C	00158387	44.90
1g E2 C	00158397	66.20
2g E2 C	00158407	68.40
5g E2 C	00158417	71.60
10g E2 C	00158427	72.60
20g E2 C	00158437	81.20
50g E2 C	00158447	88.60
100g E2 C	00158457	101.00
200g E2 C	00158467	128.00
500g E2 C	00158477	192.00
1kg E2 C	00158487	256.00
2kg E2 C	00158497	395.00
5kg E2 C	00158507	534.00
10kg E2 C	00158517	886.00
20kg E2 C	00158527	1330.00

**Weights (F1)  
with Certificate**

Model	Item No	Price
1mg F1C	11119561	27.00
2mg F1C	11119562	27.00
5mg F1	11119563	27.00
10mg F1	11119564	27.00
20mg F1	11119565	27.00
50mg F1	11119566	27.00
100mg F1	11119567	27.00
200mg F1	11119568	27.00
500mg F1	11119569	27.00
1g F1	11119525	42.00
2g F1	11119526	42.00
5g F1	11119527	44.00
10g F1	11119528	46.00
20g F1	11119529	50.00
50g F1	11119530	53.00
100g F1	11119531	65.00
200g F1	11119532	78.00
500g F1	11119533	130.00
1kg F1	11119534	170.00
2kg F1	11119535	240.00
5kg F1	11119536	340.00
10kg F1	11119537	580.00
20kg F1	11119538	890.00

**Weights (F2)  
with Certificate**

Model	Item No	Price
1mg F2	11118271	25.00
2mg F2	11118272	25.00
5mg F2	11118273	25.00
10mg F2	11118274	25.00
20mg F2	11118275	25.00
50mg F2	11118276	25.00
100mg F2	11118285	25.00
200mg F2	11118286	25.00
500mg F2	11118287	25.00
1g F2	11118191	36.00
2g F2	11118192	37.00
5g F2	11118193	38.00
10g F2	11118194	40.00
20g F2	11118195	42.00
50g F2	11118196	44.00
100g F2	11118201	52.00
200g F2	11118202	64.00
500g F2	11118203	91.00
1kg F2	11118204	130.00
2kg F2	11118205	190.00
5kg F2	11118206	260.00
10kg F2	11118211	450.00
20kg F2	11118212	680.00

**Weights (M1)  
with Certificate**

Model	Item No	Price
1mg M1	11117751	20.00
2mg M1	11117752	20.00
5mg M1	11117753	20.00
10mg M1	11117754	20.00
20mg F2	11117755	20.00
50mg M1	11117756	20.00
100mg M1	11117757	20.00
200mg M1	11117758	20.00
500mg M1	11117759	20.00
1g M1	11117711	20.00
2g M1	11117712	20.00
5g M	11117713	21.00
10g M1	11117714	21.00
20g M1	11117715	21.00
50g M1	11117716	23.00
100g M1	11117717	27.00
200g M1	11117718	31.00
500g M1	11117719	43.00
1kg M1	11117721	60.00
2kg M1	11117722	89.00
5kg M1	11117723	200.00
10kg M1	11117724	340.00
20kg M1	11117725	490.00

**Weights (F1)  
without Certificate**

Model	Item No	Price
1mg F1AC	11119491	11.00
2mg F1AC	11119492	11.00
5mg F1AC	11119493	11.00
10mg F1AC	11119494	11.00
20mg F1AC	11119495	11.00
50mg F1AC	11119496	11.00
100mg F1AC	11119497	11.00
200mg F1AC	11119498	11.00
500mg F1AC	11119499	11.00
1g F1AC	11119455	26.00
2g F1AC	11119456	27.00
5g F1AC	11119457	28.00
10g F1AC	11119458	31.00
20g F1AC	11119459	36.00
50g F1AC	11119460	39.00
100g F1AC	11119461	45.00
200g F1AC	11119462	60.00
500g F1AC	11119463	97.00
1kg F1AC	11119464	150.00
2kg F1AC	11119465	220.00
5kg F1AC	11119466	310.00
10kg F1AC	11119467	560.00
20kg F1AC	11119468	860.00

**Weights (F2)  
without Certificate**

Model	Item No	Price
1mg F2	11119079	8.09
2mg F2	11119080	8.09
5mg F2	11119081	8.09
10mg F2	11119082	8.09
20mg F2	11119083	8.09
50mg F2	11119084	8.09
100mg F2	11119085	8.09
200mg F2	11119086	8.09
500mg F2	11119087	8.09
1g F2	11119042	20.00
2g F2	11119043	21.00
5g F2	11119044	22.00
10g F2	11119045	25.00
20g F2	11119046	27.00
50g F2	11119047	29.00
100g F2	11119048	34.00
200g F2	11119049	44.00
500g F2	11119050	73.00
1kg F2	11119051	100.00
2kg F2	11119052	170.00
5kg F2	11119053	240.00
10kg F2	11119054	430.00
20kg F2	11119055	650.00

**Weights (M1)  
without Certificate**

Model	Item No	Price
1mg M1	11117935	4.63
2mg M1	11117936	4.63
5mg M1	11117937	4.63
10mg M1	11117938	4.63
20mg M1	11117939	4.63
50mg M1	11117940	4.63
100mg M1	11117941	4.63
200mg M1	11117942	4.63
500mg M1	11117943	4.63
1g M1	11118055	4.63
2g M1	11118056	5.78
5g M1	11118057	5.78
10g M1	11118058	5.78
20g M1	11118059	6.94
50g M1	11118060	8.09
100g M1	11118061	12.00
200g M1	11118062	17.00
500g M1	11118063	29.00
1kg M1	11118064	45.00
2kg M1	11118065	74.00
5kg M1	11118066	180.00
10kg M1	11118067	330.00
20kg M1	11118068	450.00

**Weight Sets (E2)  
with Certificate**

Model	Item No	Price
1mg-500mg E2 C	00158807	598.00
1g-50g E2 C	00158817	619.00
1g-500g E2 C	00158827	1185.00
1mg-200g E2 C	00158847	1420.00
1mg-1kg E2 C	00158857	1944.00
1mg-2kg E2 C	11117322	2740.00
1mg-5kg E2 C	11117324	3370.00

**Weight Sets (F1)  
with Certificate**

Model	Item No	Price
1mg-500mg F1	11119581	350.00
1mg-200g F1	11119582	730.00
1mg-1kg F1	11119583	1050.00
1mg-2kg F1	11119584	1490.00
1mg-5kg F1	11119585	1770.00
1g-50g F1 C	11119586	340.00
1g-500g F1 C	11119587	640.00

**Weight Sets (F2)  
with Certificate**

Model	Item No	Price
1mg-500mg F2 C	11118339	280.00
1mg-200g F2 C	11118340	580.00
1mg-1kg F2 C	11118341	830.00
1mg-2kg F2 C	11118342	1160.00
1mg-5kg F2 C	11118343	1380.00
1g-50g F2 C	11118344	270.00
1g-500g F2 C	11118345	500.00

**Weight Sets (M1)  
with Certificate**

Model	Item No	Price
1mg-500mg M1	11117771	240.00
1mg-200g M1 C	11117772	310.00
1mg-1kg M1 C	11117773	450.00
1mg-2kg M1 C	11117774	640.00
1mg-5kg M1 C	11117775	880.00
1g-50g M1 C	11117776	140.00
1g-500g M1 C	11117777	240.00

**Weight Sets (F1)  
without Certificate**

Model	Item No	Price
1mg-500mg F1	11119511	260.00
1mg-200g F1	11119512	570.00
1mg-1kg F1	11119513	860.00
1mg-2kg F1	11119514	1250.00
1mg-5kg F1	11119515	1540.00
1g-50g F1	11119516	280.00
1g-500g F1	11119517	540.00

**Weight Sets (F2)  
without Certificate**

Model	Item No	Price
1mg-500mg F2	11118456	210.00
1mg-200g F2	11118457	430.00
1mg-1kg F2	11118458	650.00
1mg-2kg F2	11118459	940.00
1mg-5kg F2	11118460	1160.00
1g-50g F2	11118461	220.00
1g-500g F2	11118462	410.00

**Weight Sets (M1)  
without Certificate**

Model	Item No	Price
1mg-500mg M1	11117862	170.00
1mg-200g M1	11117863	180.00
1mg-1kg M1	11117864	280.00
1mg-2kg M1	11117865	450.00
1mg-5kg M1	11117866	650.00
1g-50g M1	11117867	74.00
1g-500g M1	11117868	170.00

## Ordering

### Online Ordering via our new e-Shop in our Dealer Zone

Our user-friendly eShop makes ordering and tracking as simple and convenient as possible. The shop can be accessed via [www.mtonline.eu](http://www.mtonline.eu) and entering the login and password that your Dealer Manager will provide:

- Your password will give you your own unique view of the Dealer Zone and will ensure that the correct discounts and addresses are applied to your order
- Orders are received directly into our warehouse and production site for speed and efficiency
- Once your order is placed you will receive instant order acknowledgment and a confirmed delivery date within 24 hours so that you can provide your customers with accurate information

### Ordering via fax, e-mail or phone to our Sales Support Team

- Once your order is placed you will receive a confirmed delivery date within 24 hours via e-mail

## Order Tracking

### Online order tracking


- If you place your order via our eShop you can also track it simply and efficiently online and you can also view your previous orders

### Order tracking via our Sales Support Team

- Our Sales Support Team can tell you the status of your order via phone, fax or e-mail

## Terms & Conditions

Our general terms and conditions of sale can be found within our eShop. Standard delivery is free for orders over Euro 300.



**Mettler-Toledo OnLine**  
Im Langacher  
CH-8606 Greifensee

[www.mtonline.eu](http://www.mtonline.eu)

Prices and specifications are subject to  
change without notice  
© 12/2010 Mettler-Toledo OnLine GmbH